RENYI

GATE & GARDEN SERIES

Solar Pillar Light

Soft warm glow for gate posts and garden walls.
Charges by day, lights up at dusk.



ILLUMINATING SMART LIVING TOGETHER

HIGHLIGHTS

Light that looks after itself

Solar powered

A solar panel on the roof charges the built-in battery in daylight. No wiring on the solar model.

Dusk-to-dawn

Light sensing switches the lamp on at dusk and off when day breaks.

Long lighting time

About 6 hours of charging for up to 12 hours of light.

Outdoor ready

IP55 water resistance rating, ABS body and PC shade.

Remote control

Four-colour and solar + mains models: light colour, 3 / 5 / 8 h timer and 10–100% brightness.

External switch

Dual-colour model has an external switch, so no need to open the lamp to adjust it.



By day: charging in the sun.



At dusk: switches on by itself.

DESIGN & BUILD

Made for the outdoors

IP55
Water resistance rating

ABS + PC
Light body and shade materials

25–40 cm
Three base widths to fit your post

A square flat-top lantern in black, with a frosted PC shade that spreads the light softly. Spray-painted, frosted finish.



Solar panel set into the roof.



ABS roof and PC shade.

SPECIFICATIONS

Key parameters

Style	Flat-top post light
Light source	LED
Light colour	Four-colour model: white / warm / neutral / red. Dual-colour model also available.
Power	Solar; solar + mains hybrid model also available
Charge / light time	About 6 h charging, up to 12 h lighting*
Control	Dusk-to-dawn light sensing; remote on four-colour and hybrid models; external switch on dual-colour model
Waterproof rating	IP55
Materials	ABS light body + PC shade
Finish	Spray paint / frosted
Base width	25 cm | 30 cm | 40 cm
Height	25 cm base: 20.5 cm | 30 cm base: 24.5 cm | 40 cm base: 29.5 cm

* Run time depends on sunlight, size and brightness setting. Specifications may be refined without notice.



Remote control (four-colour and hybrid models).

AUTO: switch light colour
3H / 5H / 8H: timed lighting
ON / OFF: on and off
Sun icons: brightness 10–100%

APPLICATIONS

Where it fits



Villa gate posts



Garden walls



Wet weather



Fence pillars

Good to know

1 Match your post

Pick the base width (25, 30 or 40 cm) closest to the top of your post.

2 Give it sun

Place it where the roof panel gets direct sunlight.

3 Choose the control

Remote on four-colour and hybrid models; external switch on dual-colour.

RENYI

ILLUMINATING SMART LIVING TOGETHER

Renyi Culture Media (Shenzhen) Co., Ltd.
403, Building 27, District 19, Lingzhiyuan Community,
Xin'an Sub-district, Baoan District, Shenzhen, China

E: info@renyiglobal.com
W: www.renyiglobal.com